TEROS

PART NUMBER
MON27FTE2714S

FLAT MONITOR

TE-2714S

27 inches · Full HD 1920 x 1080 · IPS panel

FRAMELESS IPS PANEL
144 Hz · 1 ms MPRT · AMD FreeSync

27 inches of frameless IPS panel at 144 Hz, with a metal stand and an audio output already built in. Almost 60 cm of usable width to work with two windows side by side, without dropping below 144 Hz and with no accessories to buy separately.



REFERENCE IMAGE

RESOLUTION	REFRESH RATE	RESPONSE TIME	WARRANTY
1920 x 1080	144 Hz	1 ms	36 months

ALL IN ONE

What other monitors charge extra for is already built in

27" frameless IPS
59.79 cm of active width and a 178° viewing angle: two windows open at once, or dual-screen desks.

144 Hz · 1 ms MPRT
With AMD FreeSync: every scroll through a spreadsheet, browser or game looks clean.

99% sRGB and HDR
Wide colour coverage (75% DCI-P3, 75% NTSC) and HDR support from the factory.

Audio output
3.5 mm output for headphones or speakers, straight from the monitor.

TEROS

PART NUMBER
MON27FTE2714S

Frameless IPS panel: with no visible bezel on three sides, the gap between screens almost disappears when you mount two 27" monitors, and IPS keeps colour and contrast steady at 178° from any position at the desk or in the room.

WHERE IT DELIVERS

Built for the workstation used every day

OFFICE AND PRODUCTIVITY

A full day in front of the screen

27" gives room for two open documents without scaling the text. 350 cd/m² anti-glare, Flicker Free and Low Blue Light for long shifts.

- 350 cd/m² brightness
- Anti-glare · Flicker Free
- Low Blue Light

DESIGN AND CONTENT

Work with colour

99% sRGB and 75% DCI-P3 on a 16.7 M colour IPS panel, with HDR support and 1500:1 contrast.

- 99% sRGB · 75% DCI-P3
- 75% NTSC
- 1500:1 contrast

MULTI-SCREEN AND GAMING

Smoothness and extended desktops

144 Hz with FreeSync and motion blur reduction. HDMI 2.1 and DisplayPort to chain devices, VESA 100 for arms and panels.

- 144 Hz · 1 ms MPRT
- HDMI 2.1 + DP 1.2
- VESA 100 x 100 mm

DATASHEET · MONITOR

Panel, image and connectivity

PANEL

Size	27" · active area 59.79 x 33.63 cm
Panel type	IPS · anti-glare surface
Format	Flat · frameless · non-touch
Resolution	1920 x 1080 (Full HD) · 16:9
Brightness	350 cd/m²
Contrast	1500:1
Viewing angle	178° (H) / 178° (V)
Response time	1 ms
Refresh rate	144 Hz
HDR	Yes (support)

IMAGE TECHNOLOGIES

AMD FreeSync	Yes
Motion blur reduction	Yes (MPRT 1 ms)
Flicker Free	Yes
Low Blue Light	Yes
Gaming mode	Yes · FPS / RTS profiles
FPS counter	Yes
Energy saving	Yes (DCR)

COLOUR AND ACCURACY

sRGB	99%
DCI-P3	75%
NTSC	75%
Number of colours	16.7 M
Colour temperature	Cool / warm / user · 6500 K default (6500 / 7500 / 9300 K)

PORTS · INPUTS AND OUTPUTS

HDMI IN	1 x HDMI 2.1
DisplayPort IN	1 x DP 1.2
Audio OUT	1 x 3.5 mm
DC IN	1 x 12 V (external adapter)

BUILT-IN AUDIO

Built-in speakers	No
Audio output	Yes · 3.5 mm for speakers or headphones

DATASHEET · MONITOR

Ergonomics, power, measurements and warranty

ERGONOMICS, CONTROL AND MOUNTING

Tilt	-5° / +15°
VESA mount	100 x 100 mm
Kensington slot	Yes
Stand	Fixed metal · included
Control	5 physical keys
OSD menu	10 languages

POWER

Power type	External adapter
Power supply	100 – 240 V AC · 50/60 Hz (1.0 A max.)
Adapter output	12 V / 3 A
Typical consumption	24 W
Maximum consumption	36 W
Standby mode	0.5 W

IDENTIFICATION

Brand / model	TEROS · TE-2714S
Manufacturer code	TE2714S
Deltron code	MON27FTE2714S
Monitor type	Office
Colour	Black

MEASUREMENTS AND WEIGHT

With stand	61.31 x 48.12 x 16.99 cm
Without stand	61.31 x 36.27 x 6.01 cm
Box dimensions	73.00 x 47.70 x 12.00 cm
Net / gross weight	5.25 kg / 6.57 kg

OPERATING AND STORAGE CONDITIONS

Operating temperature	0 – 40 °C
Humidity	10 – 90% RH
Storage	-20 – 60 °C
Altitude	≤ 5000 m

DELIVERY, WARRANTY AND COMPLIANCE

Accessories included	Stand x1 · HDMI cable x1 · power adapter x1 · manual x1
Warranty	36 months * TEROS products only
Product type	Finished product
Condition	(NV) New
WEEE management system	Collective

WARRANTY
36 months
* TEROS products only

BOX CONTENTS
MONITOR + STAND
HDMI cable · power adapter · manual

ENERGY EFFICIENCY
24 W TYPICAL
36 W maximum · 0.5 W standby

For more information or project advice, contact your authorized distributor.

Images are for reference only. Warranty: 36 months * TEROS products only. TEROS® is a registered trademark.